UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/563,038	12/30/2005	Osamu Itokawa	1232-5780	6038
	10/563,038 12/30/2005 Osamu Itokawa	7	EXAMINER	
			STRIEB, MI	ICHAEL A
NEW YORK, NY 10281-2101			ART UNIT	PAPER NUMBER
			4177	
			NOTIFICATION DATE	DELIVERY MODE
-			10/19/2007	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

PTOPatentCommunications@Morganfinnegan.com Shopkins@Morganfinnegan.com jmedina@Morganfinnegan.com

·					
	Application No.	Applicant(s)			
	10/563,038	ITOKAWA, OSAMU			
Office Action Summary	Examiner	Art Unit			
	Michael A. Strieb	4177			
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the o	correspondence address			
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailling date of this communication. - If NO period for reply is specified above, the maximum statutory period in Failure to reply within the set or extended period for reply will, by statute any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION (36(a). In no event, however, may a reply be tircuit apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 30 D	<u>ecember 2005</u> .				
2a) This action is FINAL . 2b) This	This action is FINAL . 2b) This action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 48	53 O.G. 213.			
Disposition of Claims					
4) Claim(s) 41-43 is/are pending in the applicatio 4a) Of the above claim(s) is/are withdray 5) Claim(s) 41-43 is/are allowed. 6) Claim(s) is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/o	wn from consideration.	· ·			
Application Papers					
9)⊠ The specification is objected to by the Examine 10)⊠ The drawing(s) filed on 30 December 2005 is/a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11)□ The oath or declaration is objected to by the Ex	re: a) \square accepted or b) \square object drawing(s) be held in abeyance. See tion is required if the drawing(s) is object.	e 37 CFR 1.85(a). lected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list 	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment(s)		•			
1) X Notice of References Cited (PTO-892)	4) Interview Summary				
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 12/30/2005, 7/18/2006. 	Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:				

1. This application is in condition for allowance except for the following formal matters:

The drawings and specifications are objected to as detailed below.

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

Drawings

2. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: (S1109) and (S1206). Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective

action in the next Office action. The objection to the drawings will not be held in abeyance.

3. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: (SW1) and (SW2). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

4. The disclosure is objected to because of the following informalities: element (S304) is briefly mentioned in the specifications, but is not adequately described in detail.

Appropriate correction is required.

Application/Control Number: 10/563,038 Page 4

Art Unit: 4177

Claim Objections

5. Claims 42-43 are objected to because of the following informalities: These claims are dependent on claim 1, which has been cancelled. The Examiner suspect the applicant intended for these claims to be dependent on claim 41.

Appropriate correction is required.

Allowable Subject Matter

6. The following is a statement of reasons for the indication of allowable subject matter.

Claims 41-43 appear to be allowable subject matter. The aforementioned claims appear to be novel and inventive for the following reasons. Regarding Sakamoto et al (US 2003/0137597), the reference allows for the use of an image acquired with a flash and an image acquired without a flash. However, the reference does not allow for the use of multiple images acquired without a flash. Regarding Ejima (US2002/0122133 A1), the reference allows for the use of multiple images, but utilizes variable exposure times rather than the existence or non-existence of a strobe. None of the referenced materials make use of all the limitations as directly recited in independent claim 41.

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

Application/Control Number: 10/563,038 Page 5

Art Unit: 4177

Lu, Cheng (14th Color Imaging Conference: Color Science and Engineering Systems, Technologies, Applications); "Automatic compensation for camera settings for images taken under different illuminants"

Sugahara et al (US 6,778,210 B1) "Image pickup apparatus with blur compensation"

Washisu (US 6,272,289 B1) "Camera"

8. Any response to this office action should be faxed to (571) 273-8300 or mailed to:

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Hand - delivered responses should be brought to:

Customer Service Window Randolph Building 401 Dulany Street

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael A. Strieb whose telephone number is 571-270-3528. The examiner can normally be reached on Monday-Friday 8am-5pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Benny Tieu can be reached on (571) 272-7490. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/563,038

Art Unit: 4177

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MAS

BENNY Q. TIEU SPE/TRAINER

Page 6